



PARAS POLYCAB PVT. LTD.



An ISO 9001:2015, 14001:
2015 Certified Company

WHO WE ARE

PARAS POLYCAB PVT. LTD. is a premium manufacturer & exporter in the field of personal protective equipment (PPE) & Welding accessories based in the city of Delhi, INDIA.

WHAT WE DO

Having more than 20 years of rich experience, Paras Polycab Pvt. Ltd. is one the largest manufacturer of a comprehensive range of Personal Protective Equipment as well as Welding equipment in India and in South Asia.



Owning the brand name “PRIMA”, our company is dedicated to supplying fit-for-purpose personal protective equipment to fulfill our individual customers’ requirements. We have expanded our capabilities and product range to integrate the supply of all related personal protective equipment & welding equipment due to a worldwide developing marketplace. This leading position drives us to maintain our superiority.

PPE’s are includes, Safety helmet, Safety Spectacles & Goggles, Face shields and Visors, Nose Masks (FFP1, FFP2, FFP3 and N95 category), Full body harness (ISI and CE marked), Rescue equipment for rescue from height, FR suits & coverall, A vast ranges of reflective jackets , Hand gloves, Safety shoes etc.

We are one of the largest manufacturer and supplier of welding equipment like welding cutters (TIG, MIG and Plasma Cutters), Welding cables, Argon torch , Single and double stage regulators, Flash back arrestors, Nozzles, Manual cutting Blow pipe, Nozzle mixing cutter, Welding Holders, Earthing clamp, Portable electrode oven, Pug machine etc.

OUR VISION:

The main focus of our activities is therefore on the people. We offer them outstanding products, system solutions and services. In this spirit, our brand promise “PRIMA” stands for maximum security at work environment. We strive to continuously expand our competencies to improve our operational functions by investing in product portfolio and human capital. Our stylish and dependable products are geared towards complete customer satisfaction and building beneficial long-term relationships with all of our clients.

SERVICE

We also provide technical and customer support whereby skilled professionals help your business with the implementation and management of your company needs. The experience we’ve gathered over the past years, ensures we have all the necessary knowledge to help achieve our customers reach their goals.

DIRECTOR MESSAGE



The three essentials to achieving anything worthwhile are hard work, consistency and faith in god

Subhash Jindal
DIRECTOR

CERTIFICATION

PRIMA products are certified and manufactured under license /approval from the Bureau of Indian Standards (BIS) duly **ISI** marked for assurance with the prestigious marked.

Our PPE products also Passed through the EU type test & certification procedure under the Regulation EU 2016 / 425, and are **CE** marked from recognized EN notified body to meet international standard & unmatched quality.



ANCCP
Certification Agency

Notified Body 0302

CERTIFICATO DI ESAME UE DEL TIPO
EU-Type Examination Certificate

PPE-934-16160-Cert

REGOLAMENTO (UE) 2016/425 - DISPOSITIVI DI PROTEZIONE INDIVIDUALE
REGULATION (EU) 2016/425 - PERSONAL PROTECTIVE EQUIPMENT

Si attesta che il Dispositivo di Protezione Individuale di seguito indicato, sottoposto ai requisiti tecnici di Sicurezza di Sicurezza (Art. 3 e Allegato II) e risulta conforme alla procedura di cui all'Allegato V (Modulo II).

We hereby certify that the Personal Protective Equipment below mentioned complies with the Essential health and safety Requirements (Art. 3 and Annex II) and complies with the Annex V (Module II).

Tipologia di DPI	Personal protective equipment against falls from a height
Modello	Full body harness
Modello	POSS2
Colaboratore	Paras Polycab Private Limited
Manufacture	Building 105, Gate 3, Phase 2 - Badli Industrial Area - 110042 Delhi (India)
Richiedente	Paras Polycab Private Limited
Applicante	Building 105, Gate 3, Phase 2 - Badli Industrial Area - 110042 Delhi (India)
Categoria (Art. 1 - Reg. UE 2016/425)	III
Categoria (Art. 1 - Reg. UE 2016/425)	EN 360: 2003
Norme Tecniche	EN 360: 2003
Prodotto in	India

Le caratteristiche del DPI sono indicate nell'Allegato tecnico a questo Certificato e ne costituisce parte integrante. Il richiedente (Fabbricante o Mandatario) è autorizzato ad apporre la seguente marcatura sul prodotto approvato (Art. 17).

The features of the PPE are described in the technical dossier to this certificate which forms an integral part of it. The applicant (Manufacturer or Authorized Representative) is authorized to affix the following marking on the approved product (Art. 17).

CE

Prima emissione
First issue
11/06/2019

Emissione corrente
Current issue
11/06/2019

Scadenza
Expiry date
11/06/2025

Chief Executive Officer
(Signature)

Il rilascio e l'efficienza del presente Certificato è subordinato all'osservanza del Regolamento di Certificazione del DPI "ANCCP-001" pubblicato in versione approvata sul sito www.anccp.it. The Certificate is subject to compliance with the PPE Certification Regulation "ANCCP-001" Fully available in updated version on the website www.anccp.it. For "Prima" PPE (I) Type Examination Certificate validity only if accompanied by the present surveillance certificate issued by the appointed notified body.

ACCREDITED

ANCCP Certification Agency S.p.A. - Via dello Streggino, 6 - 57121 Lucca (LI) - Italy
T +39 0586 109956 - F +39 0586 228450 - anccp@anccp.it - www.anccp.it

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

Address: Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi-110002

Phones: 011-23237401, 23238131
Fax: 011-23238911
E-Mail: india@bis.org.in
Web: <http://www.bis.org.in>

Delhi Branch Office - I

ATTACHMENT TO LICENCE NO. CML- 3074347

CML/NO	NAME OF THE LICENSEE WITH THE ADDRESS	NAME OF THE PRODUCT	IS NO.
3074347	Paras Poly Cab Pvt Ltd Khasra No. 40/7/2 Main Chowk, Samepur(Badli) Opp. Anjal Sweets Delhi-110042	Industrial safety belts and harnesses	IS 3521 : 1999

ENDORSEMENT NO. 8 Dated: 11-01-2019

Renewed for a further period of one year from First January Two Thousand and Eighteen to Thirty First December Two Thousand and Eighteen

Other terms and conditions of Licence remain the same.

(N K BANSAL)
(H.D.B.O-I)

UKcert
Certification & Inspection

Certificate of Compliance

This is to certify that
Quality Management System of
M/S Paras Polycab Pvt. Ltd.
at
Khasra No. 40/7/2, Main Chowk Samepur (Badli),
Opp. Anjal Sweets, Delhi-110042

has been independently assessed and is compliant
with the requirements of:

ISO 9001: 2008

For the following Scope of Activities:

Manufacture & Supply of Welding Cables, Cutting Hose, Cutting Blow
Pipe, All Type of Regulators, Plug Cutting Machine, Electrode Holder,
Electrode Oven, Welding Machine Rectifier, Argon/Gouging Torch,
Cutting Nozzle, Flash Back Arrestor, Safety Shoes, Harness, Helmet,
jacket, Net, cone, Chain, Caution Tape & All Type of Safety Products.

Certificate No.: QM-8692

Validity of this certificate can be verified at www.ukcert.co.uk

Date of initial registration
Date of this certificate
Certificate expiry
Recertification due (subject to the company
maintaining its system to the required standard)

30th Jan. 2016
30th Jan. 2016
29th Jan. 2019
29th Jan. 2019

Authorised Signatory
(Signature)


This certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request
to Jyoti House, Colina Park, Administrative, Building, Indus Valley Park, Gurgaon, Haryana
Website: www.ukcert.co.uk



A TRUSTED NAME SINCE 2001...

WHY TO CHOOSE US

*5 strong reasons to co-operate with **PRIMA***



MANUFACTURING UNIT

PRIMA has Strong manufacturing Infrastructure base in Delhi. We have latest and most advance equipment and other supporting high technology based machines & techniques.





PSH-01

Key features

- Made of UV resistant High density polyethylene (HDPE)
- Multi corrugated ribs at top • 6 point plastic shock absorbing suspension system • Manual Nape strap Adjustment
- Adjustable Chin strap • Fully compatible with accessories like ear muff, face shields • Size: 540-590 mm.

Standard

ISI marked. IS: 2925 • Meet DGMS Approval



PSH-02

Key features

- Made of UV resistant High density polyethylene (HDPE)
- Multi corrugated ribs at top • 6 point plastic shock absorbing suspension system • Manual Nape strap Adjustment
- Adjustable Chin strap • Sweat band with brushed cloth on foam
- Fully compatible with accessories like ear muff, face shields
- Size: 540-590 mm.

Standard

ISI marked. IS: 2925 • Conforms to EN 397 Meet DGMS Approval



PSH-03

Key features

- Made of UV resistant High density polyethylene (HDPE)
- Multi corrugated ribs at top • 6 point plastic shock absorbing suspension system • Ratchet type Adjustment • Adjustable Chin strap • Sweat band with brushed cloth on foam • Fully compatible with accessories like ear muff, face shields • Size: 540-590 mm.

Standard

ISI marked. IS: 2925 • Conforms to EN 397 Meet DGMS Approval

Colors available

				
Red	Yellow	Green	M Green	Orange
				
Blue	L. Blue	White	Grey	Violet

PS-01

SAFETY SPECTACLES

- Standard: EN 166, Meet: ANSI Z 87 +
- Light weight polycarbonate wraparound lens.
- Optically corrected. Mechanical strength F.
- Provides excellent field of vision.
- Block 99.9% of UV rays.
- Lenses with scratch resistant coating.



PS-04

SAFETY OVER-SPECTACLES

- Standard: EN 166. Meet: ANSI Z 87 +
- Light weight polycarbonate over spectacle eyewear.
- Optically corrected. Mechanical strength F.
- Block 99.9% of UV rays.
- Lenses with scratch resistant coating.



Light
weight



99.9% UV
protection



Impact
resistant



Conforms
To EN 166



Wide
vision



Meet ANSI
Z 87.1



Anti Scratch

Scratch resistant
Polycarbonate Lens

FACE PROTECTION



Goggle Face shield

Model: PGF 01

Comfortable, light weight

Detachable nose support

Scratch resistant

Standard: EN 166

Packing: 144 Pcs.



Face Shield

Model No. : PFS-04

Ratchet type adjustment

Size : 6" x 11"

Thickness : 1 mm

Standard : EN 166

Packing: 72 Pcs.



Face Shield

Model No. : PFS-05

Size : 6" x 12"

Thickness : 1.8 mm

Elastic fitting

Standard : EN 166

Packing: 96 Pcs.



Face Shield

Model No. : PFS-02 A

Spring type attachment

Size : 6" x 11"

Thickness : 1 mm

Standard : EN 166

Packing: 72 Pcs.

FACE PROTECTION

**Face Shield**

Model No. : PFS-05 A

Size : 9" x 12"

Thickness : 1.8 mm

Elastic fitting

Standard : EN 166

Packing: 72 Pcs.

**Face Shield**

Model No. : PFS-06

Thickness : 1.8 mm

Elastic fitting

Standard : EN 166

Packing: 72 Pcs.

**Face Shield**

Model No. : PFS-07

Thickness : 1.8 mm

Elastic fitting

Standard : EN 166

**Hand Shield**

Model No. : PHS-01

Material : PVC

Color : Black

Standard : EN 169, EN 175

Packing: 24 Pcs

FACE PROTECTION



Hand Shield

Model No. : PHS-02

Material : Fiber

Color : Black

Standard : EN 169, EN 175

Packing: 12 Pcs.



Welding Face shield

Model No. : PWH-01

Material : PVC

Color : Black

Feature : Flip Front

Adjustable ratchet head gear

Standard EN 169, EN 175

Packing: 12 Pcs.



Gas welding goggle

Model: PWG 01

Soft PVC frame.

4 ventilation holes.

Elastic head bands.

Flip on type open.

Standard: EN 169 , EN 175



Auto darkening welding helmet

Model: PWH 04 AD

Front fitted sensor.

UV /IR radiation protection.

Variable shade.

For MMA/MIG/TIG and ARC welding.

Standard: EN 175, EN 397.

Packing: 12 Pcs.

RESPIRATORY PROTECTION



MODEL
PFR 8212 FFP 2 Ear Loop
Particulate filter respirator
Filter efficiency 95%
Flat fold design
ISI Marked.
Conforms to EN 149

IS : 9473



MODEL
PFR 8212 FFP 2 Head Harness
Particulate filter respirator
Filter efficiency 95%
Flat fold design
ISI Marked.
Conforms to EN 149

IS : 9473



MODEL
PRIMA -3 Ply disposable mask
melt blown face mask with nose pin
Comfortable non woven elastic ear loops

HIGH VISIBILITY WORKWEAR

**PSJ 101**

Jacket with pockets
Glass bead Reflective Tape
2 Horizontal and 2 Vertical.
Color Available: Orange / Green.
Conforms to EN 471

**PSJ 102**

Glass bead Reflective Tape
2 Horizontal and 2 Vertical.
Color Available: Orange / Green.
Conforms to EN 471

**PSJ 103**

Reflective vest Net type
3 side open
2" Glass Bead Reflective tape
Velcro at front and on both sides
Color: Orange / Green
Conforms to EN 471.

COVER ALL & HAND PROTECTION



FLAME RETARDANT Coverall

Style: PCA FR225BI

Fabric : FR treated fabric.

Weight : 225 GSM twill cloth.

Size : M / L / XL

ID card holder over Front chest Pocket
FR thread stitching.

Metal zip with a flap and Velcro

As per EN ISO 11612



Flame Retardant Jacket & Trouser

Style: PJT FR225BL

Fabric :FR treated fabric.

Weight : 225 GSM twill cloth.

Size : M / L / XL

Rust resistant Metal Button.

FR thread stitching.

Metal zip with a flap and Velcro

As per EN ISO 11612

HAND GLOVES



PCD 01

PVC dotted gloves

Single side dotted in palm and fingers.

7 gauge shell.

Knit wrist design

Weight: 45/50/55/60 grams per pair.

Size: 9" / 10"



NRG 209

Natural Rubber gloves.

Abrasion and solvent-resistant .
flock lined.

Conforms to EN 388 / EN 374



PWG 212 US

Leather Welding gloves

Unsupported Split Leather

Color : Yellow

Size: 14" / 16"

Conforms to EN 388 / EN 420



NDG 215

Nitrile butadiene dipped Gloves

knit wrist

Full Coated

Color: Blue

Conforms to EN 388

FALL PROTECTION



Full Body harness

PGS 22

One common Dorsal d-ring for fall arrest.
Two Front textile loop at chest position.
Dual color scheme for easy differentiation .
Adjustable thigh & shoulder strap.
Adjustable chest strap .
ISI marked . IS:3521:1999.
Conforms to EN 361.

IS : 3521



Full Body Harness

PGS 23

One common Dorsal d-ring for fall arrest.
Two Front D-ring at chest
Adjustable thigh & shoulder strap.
Adjustable chest strap.
ISI marked. IS:3521:1999.
Conforms to EN 361.

IS : 3521



Full Body Harness

PGS 43

Full Body harness with waist pad.
One common Dorsal d-ring for fall arrest.
Two front D-ring at chest point.
Two lateral D-ring for work positioning job.
Soft cushion padded waist belt.
Adjustable shoulder & thigh strap.
Adjustable chest strap.
ISI marked. IS:3521:1999.
Conforms to EN 361. EN 358

IS : 3521



PGS 51

Work positioning sit Harness
Two lateral D-ring for work positioning job.
Work position padded belt with sit harness.
Adjustable waist & thigh strap.
Conforms to EN 358 , EN 813.



FALL PROTECTION



PGS 56


Multipurpose Rescue Harness
 One common Dorsal d-ring.
 One D-ring at sternal point.
 One D-ring at ventral point.
 Two lateral D-ring.
 Light weight and comfortable.
 Soft cushion padded waist belt.
 Fully adjustable shoulder & thigh strap.
 Adjustable chest strap.
 Conforms to EN 361. EN 358. EN 813

IS : 3521



PGS 351

Double Polyamide rope Lanyard
 With energy absorber
 Steel scaffold hook at both end.
 12 mm dia 3 strand twisted rope .
 Rope length: 1.8 Mtr.
 Conforms to EN 354 EN355



PGS 2000A

Rope grab fall arrester.
 Arrest fall immediately.
 Double security locking system.
 Gravity lock prevent incorrect usage.
 Works on 14mm dia polyamide rope.
 Conforms to EN 353-2:2002



PGS 300D

Rope Descender device
 Single rope descend device.
 Maximum working load 150 Kg.
 Made of alloy aluminum.
 Auto breaking and self locking system.
 Works on 10.5 mm to 11 mm dia braided rope.
 Conforms to EN 341 – Class A



PGS 246

Work positioning lanyard
 14 mm dia 3 strand twisted polyamide rope.
 Included rope grab adjuster device.
 Rope length: 2 Mtr.
 Conform to EN 354 / EN 358

Multi purpose descend kits which is a complete and easy solution for versatile job like, window cleaning & maintenance job, self descend or rescue a person from height.



Sit Harness
(1 No)



Fall arrester
(1No.)




Forked lanyard
(1No.)



Anchorage rope
(50 mtr.)




Grip Descender
(1No)



Karabiner (4 No)



Kernmantle rope
(50 mtr.)



Anchorage sling
(2 No.)



Kit bag (1 No)



Rock Chair

Warning: This kit is intended to use only by a competent person. Users must follow the user instruction and get proper training by a professional trainer before use.

JET PLUS



Low Ankle 4 eyelets
PVC Sole
Synthetic Upper with padded collar
200 J Steel toe cap
Size available 6-10.
As per EN 345
Color Available: Black
Packing: 24 pairs

COSMO



High Ankle 4 eyelets
PVC Sole
Synthetic Upper with padded collar
200 J Steel toe cap
Size available 6-10.
As per EN 345
Color Available: Black
Packing: 24 pairs

TRENDY



Low Ankle 4 eyelets
PVC sole
Superior quality buff leather
200 J Steel toe cap
Size available 6-10.
Color Available: Black
As per EN 345
Packing: 24 pairs

DERBY



Low Ankle 4 eyelets
Single Density PU sole
Superior quality buff leather
200J Steel toe cap
Size available 6-10.
Color Available: Black
ISI Marked. IS: 15298 part II
As per EN 345
Packing: 24 pairs

GUM BOOT



High Ankle 4 eyelets
PVC Sole
Synthetic Upper with padded collar
Carbon composite toe cap
Size available 6-10.
As per EN 345
Color Available: Black
Packing: 24 pairs

WELDING CABLE



Model No. : PWC-01
 Conductor : Copper/ Aluminum
 Covering : TRS / HOFR
 Size : 16sq mm - 120sq mm
 Color : Black / Orange/ Optional
 Packing : 100 meters

CUTTING HOSE



Model No. : PCH-01
 Material : Rubber
 Pressure : 18kg (Rubber)
 Braiding : 2000 Daniel Yarn
 Outer : Plain
 Size : 8 mm
 Color : Red & Blue
 Packing : 100 meters & above

CUTTING HOSE



Model No. : PCH-02
 Material : Rubber
 Pressure : 18kg (Rubber)
 Braiding : 2000 Daniel Yarn
 Outer : Wrapping
 Size : 8 mm
 Color : Red & Blue
 Packing : 100 meters & above

CUTTING HOSE



Model No. : PCH-03
 Material : TPR
 Pressure : 22kg (TPR)
 Braiding : 2000 Daniel Yarn
 Outer : Plain
 Size : 8 mm
 Color : Red & Blue
 Packing : 100 meters & above

MANUAL CUTTING BLOW PIPE



Model No. : PCB-01
Material : Brass Forged
Gas : Oxygen & Acetylene
Size : 450mm/90 degree
Nozzles : All sizes
Packing : 12 pieces
Standard : CE & ISI

NOZZLE MIXING CUTTER



Nozzles Size
Thickness to be cut
1/32" : 6 mm
1/64" : 12 mm
1/16" : 100 mm
5/64" : 150 mm
3/32" : 200 mm
7/64" : 250 mm
1/8" : 300 mm
5/32" : 400 mm



Model No. : PCB-02
Material : Brass Forged
Cutting Capacity : 300 mm thick MS plate
Gas : LPG, Oxygen & Acetylene
Size : 450mm/90 degree
Nozzles : All sizes
Packing : 12 pieces
Standard : CE & ISI
NOZZLE MIXING CUTTER
CERTIFIED
CERTIFIED
IS : 7653
CM/L : 2574463

CUTOZEN NOZZLES



CUTOZEN NOZZLES

Model No. : PCN-01
Material : Brass/Copper

Material Thickness		Size of Nozzle	Cutting Oxygen Pressure	
m.m.	inch		Kg./ Sq. Cm.	lb./ Sq. in.
6	¼	1/32-A-8	1.4	20
12	½	3/64-A-12	2.0	30
25	1	1/16-A-16	2.5	35
50	2	1/16-A-16	3.2	45
75	3	1/16-A-16	3.5	50
100	4	1/16-A-16	4.2	60
150	6	5/64-A-20	4.5	65
200	8	3/32-A-24	4.9	70
250	10	7/64-A-28	5.3	75
300	12	1/8-A-32	5.3	75

MANUAL WELDING BLOW PIPE



Model No. : PWB-01
Material : Brass
Gas : Oxygen with Acetylene/
Hydrogen/Carbide/LPG
Size : Small
Packing : 12 pieces
Standard : CE & ISI

REGULATOR SINGLE STAGE



Model No. : PGR-11
Material : Brass/Forged
Gauge : Double
Packing : 24 pieces
Standard : CE & ISI
Availability : (a) Oxygen, (b) Acetylene,
2 (c) Argon, (d) LPG, (e) Co ,
(f) Nitrogen, (g) Hydrogen

REGULATOR SINGLE STAGE



Model No. : PGR-12
Material : Brass/Forged
Availability : Oxygen & Acetylene
Gauge : Single
Packing : 24 pieces
Standard : CE & ISI

REGULATOR DOUBLE STAGE



Model No. : PGR-13
Material : Brass/Forged
Gauges : Double
Standard : CE & ISI
Availability : (a) Oxygen, (b) Acetylene,
(c) Argon, (d) LPG, (e) Co² ,
(f) Nitrogen, (g) Hydrogen

LPG REGULATOR SINGLE METER



Model No. : PGR-14
Material : Brass
Packing : 40 pieces
Standard : CE

EH 101



Model No. : EH1 101
 Type : Fully Insulated
 Material : M S
 Cover : DMC
 Current : 400 Amp
 Usage : 10 S.W.G (3.15mm)
 As per EN Norms
 Packing : 24 pieces

LAZER



Model No. : PEH-25
 Type : Fully Insulated
 Material : M S
 Cover : DMC & Glass Filled
 Current : 400 Amp
 Usage : 10 S.W.G (3.15mm)
 As per EN Norms
 Packing : 60 pieces

KD 1000



Model No. : PEH-26
 Type : Fully Insulated
 Material : M S & Gunmetal
 Cover : DMC & Glass Filled
 Current : 600 Amp
 Usage : 8 S.W.G (4.00mm)
 As per EN Norms
 Packing : 60 pieces

GALAXY



Model No. : PEH-28
 Type : Semi Insulated
 Material : M S & Gunmetal
 (10 copper strip)
 Cover : DMC & Glass Filled
 Ampere : 1000 Amp (heavy duty)
 Usage : 8 S.W.G (4.00mm)
 As per EN Norms
 Packing : 50 pieces

TANGO



Model No. : PEH-29
 Type : Fully Insulated
 Material : Brass Forged
 Cover : DMC & Glass Filled
 Current : 400 Amp
 Usage : 10 S.W.G (3.15mm)
 As per EN Norms
 Packing : 48 pieces

BOSS



Model No. : PEH-30
 Type : Fully Insulated
 Material : Brass
 Cover : DMC
 Current : 600 Amp (Heavy duty)
 Usage : 8 S.W.G (4.00mm)
 As per EN Norms
 Packing : 48 pieces

JUMBO



Model No. : PEH-32
 Type : Semi Insulated
 Material : Gunmetal
 Cover : DMC & Glass Filled
 Current : 600 Amp
 Usage : 8 S.W.G (4.00mm)
 Packing : 40 pieces
 Standard : CE & ISI

SHARK



Model No. : Shark
 Type : Fully Insulated
 Material : Gunmetal
 Cover : DMC & Glass Filled
 Current : 1000 Amp
 Usage : 8 S.W.G (4.00mm)
 Packing : 40 pieces
 Standard : CE & ISI

VEGO



Model No. : Vego
 Type : Semi Insulated
 Material : Gunmetal
 Cover : DMC & Glass Filled
 Current : 600 Amp
 Usage : 8 S.W.G (4.00mm)
 Packing : 40 pieces
 Standard : CE & ISI

CHOTA HATI



Model No. : Chota Hati
 Type : Semi Insulated
 Material : Gunmetal
 Cover : DMC & Glass Filled
 Current : 600 Amp
 Usage : 8 S.W.G (4.00mm)
 Packing : 40 pieces
 Standard : CE & ISI

EARTHING CLAMP



Model No. : PEC-01
 Material : MS & Copper
 Ampere : 400
 Usage : 10 S.W.G (3.15mm)
 Compatibility : 16sq mm - 35sq mm
 Standard : CE
 Packing : 72 pieces

EARTHING CLAMP



Model No. : PEC-02
 Material : MS & Copper
 Ampere : 600
 Usage : 8 S.W.G (4.00mm)
 Compatibility : 50sq mm - 120sq mm
 Packing : 40 pieces
 Standard : CE

